

SOINS ET PROTHESES DENTAIRES

Le praticien est prié de présenter la dent traitée, l'acte pratiqué et indiquer la nature des soins.

Veuillez fournir une facture

Veuillez joindre les radiographies en cas de prothèses ou de traitement canaux, ainsi que le bilan de l'ODF.

SOINS DENTAIRES	Dents Traitées	Nature des soins	Coefficient																	
				Coefficient des travaux																
				Montant des soins																
				Début d'exécution																
				Fin d'exécution																
O.D.F. Prothèses dentaires 	Détermination du coefficient masticatoire			Coefficient des travaux																
	<table border="1"> <thead> <tr> <th colspan="2">H</th> <th colspan="2">G</th> </tr> </thead> <tbody> <tr> <td>25533412</td> <td>21433552</td> <td>00000000</td> <td>00000000</td> </tr> <tr> <td>00000000</td> <td>00000000</td> <td>00000000</td> <td>00000000</td> </tr> <tr> <td>35533411</td> <td>11433553</td> <td></td> <td></td> </tr> </tbody> </table>		H		G		25533412	21433552	00000000	00000000	00000000	00000000	00000000	00000000	35533411	11433553				Montant des soins
	H		G																	
	25533412	21433552	00000000	00000000																
00000000	00000000	00000000	00000000																	
35533411	11433553																			
(Création, Remont, adjonction) Fonctionnel, thérapeutique, nécessaire à la profession			Date du devis																	
			Fin d'exécution																	

Visa et cachet du praticien

attestant le devis

Visa et cachet du praticien

attestant



P 17 / 046440

DATE DE DEPOT

09 / 04 / 2019

A REMPLIR PAR L'ADHERENT		Mle 1301		
Nom & Prénom		ALADUI BELHASSAN RACHID		
Fonction	CM retraité	Phones		0663040878
Mail		aladuibel@menara.ma		
MEDECIN	Prénom du patient			CIRCE GAROFALO ep. RAOU
Adhérent ☐	Conjoint ☒	Enfant ☐	Age	56 ans
Nature de la maladie			Date	09/04/19
S'agit-il d'un accident : Causes et circonstances			Date 1ère visite	
Nature des actes Nbre de Coefficient Montant détaillé des honoraires			Date 09/04/2019 T=422,80 RAACHIT PHARMACIE DUNE D'ANFA Tel: 0522 39 30 30 N° INPE: 092022482	
ANALYSES - RADIOGRAPHIES			Date	9.4.19
Désignation des Coefficients		Montant détaillé des Honoraires		
Rx du 3ème doigt F/P		3000 \$ SERVICE RADIOLOGIE CLINIQUE ANDALOUS 19, Av. Driss Slaoui - Casablanca Tél: 05 22 36 39 55		
AUXILIAIRES MEDICAUX		Date	9.4.19	
AM PC IM IV		Montant détaillé des Honoraires 450 \$ Clinique Andalous 19, Av. Driss Slaoui - Casablanca Tél: 05 22 36 39 55		



Le 9/04/19

Mme CIRCE GAROFALO

222.00

① AUGMENTIN 1g



1 sachet x 2 j x 10 j

301.00

② NODOL 400



52.80

1cp x 3 j x 8 j

③ OEFES



89.00

1cp j x 14 j

④ CEREUREX 200



29.00

1cp j x 10 j

⑤ - JAT



T = 422.80

PHARMACIE DUNE D'ANFA
RUE EL HADJ MOHAMMED
N° INPE : 092022482



PPV: 222,00
LOT: 608433
PER: 05/20
DH

No-Dol[®]fen
naprofène

Uniquement sur ordonnance

Sachets

..... sachet(s) fois par jour à
prendre de préférence au début des repas,
pendant jours.
Lire la notice attentivement avant emploi.

..... يوم

..... كيساً ... مرة في اليوم يتناول من الاصل قبل الوجبة ...

19 mg / 125 mg Sachets



AMOXICILLINE-ACIDE CLAVULANIQUE

AUGMENTIN AMOXICILLINE-ACIDE CLAVULANIQUE

1g¹²⁵ mg

poudre pour suspension
buvable en sachet

400mg

احترم المقادير المعينة
RESPECTER LES DOSES PRESCRITES

Iniquement sur ordonnance - Tableau C
مصرف فقط بموجب وصفة طبية - جدول C



Titulaire de l'AMM : sanofi-aventis Maroc
Route de Rabat R.P.1 BP2611 - Aïn Sebaâ 20
Casablanca - Maroc.
Fabricant : Maphar

km 10, route côtière 111, Quartier industrie
Zenata - Aïn Sebaâ 20250 Casablanca - Maroc

NO-DOL FEN 400 MG
CP PELL B30

Sil **ANTITOXINE TÉTANIQUE B.P.**
(Origine équine) Usage prophylactique Tét / Sér

1500 UI - 1 ml

Chaque ampoule contient
Antitoxine Tétanique 1500 UI
Agent de conservation $\leq 0.25\%$ Phénol
A conserver entre 2° et 8° C.
Conserver à l'abri de la lumière
NE PAS CONGELER

Lire la notice avant l'utilisation
Ne pas conserver dans congélateur
Tableau A (Liste I), médicament
soumis à prescription médicale

Fabriqué par :
SERUM INSTITUTE OF INDIA PVT. LTD.
212/2, Hadapsar, Pune -411028, INDIA

ANTITOXINE TÉTANIQUE B.P.
(Origine équine) Usage prophylactique Tét / Sér

1500 UI - 1 ml

NOM. DE FABR. : 10

LOT: 0398A040
FABR.: NOV.2018
EXP.: OCT.2020

INSTITUT PASTEUR DU MAROC - 1 Place Louis Pasteur 20360, Casablanca, Maroc
PPV : 29.00 DH AMM N°: 268R, / 18 DMP / 21 / NRQ
"TENIR HORS DE LA PORTÉE ET DE LA VUE DES ENFANTS"

LOT 171275
EXP 07/2020
PPV 52.80DH

OEDES®
oméprazole

Microgranules gastro-résistants en gel

سيليبركس
200 mg
سيليكو كسيب

Pfizer

مضاد للارتجاع
مضاد للام

CELEBREX®
200 mg
10 GELULES



10
كسولات

Lot. 1245877

P.P.V :

89 0
89,00

Exp.

09366088/7

TETANUS ANTITOXIN B.P.

PACKAGE LEAFLET: INFORMATION FOR THE USER

Tetanus Antitoxin solution for injection in ampoule

Antitoxin can be used both for prophylaxis and treatment of Tetanus.

Please read carefully the entire leaflet before taking the medicinal product because this document encloses important information.

- Keep the leaflet, you may have to re-read the document.
- If you have other questions, ask your doctor or pharmacist for more information.
- This medicinal product is dedicated to you personally. Do not give the medicinal product to other persons. It could be harmful for them, even in case of identical symptoms of disease.
- If one of the side effects is noticed or if you notice a side effect not described in the package leaflet, talk with your doctor or your pharmacist.

WHAT DOES THIS PACKAGE LEAFLET ENCLOSE ?

1. WHAT IS TETANUS ANTITOXIN AND WHEN TO USE IT ?
2. WHICH INFORMATION YOU HAVE TO KNOW BEFORE USING TETANUS ANTITOXIN ?
3. HOW TO USE TETANUS ANTITOXIN ?
4. WHICH ARE THE POSSIBLE SIDE EFFECTS ?
5. HOW TO CONSERVE TETANUS ANTITOXIN ?
6. ADDITIONAL INFORMATION

1. WHAT IS TETANUS ANTITOXIN AND WHEN TO USE IT ?

Tetanus Antitoxin B.P. is a sterile proteolytically refined solution of globulins. It is prepared from serum obtained from equines, hyperimmunised with tetanus toxoid and toxin. It contains $\leq 0.25\%$ phenol as a preservative. Antitoxin can be used both for prophylaxis and treatment of Tetanus.

2. WHICH INFORMATION YOU HAVE TO KNOW BEFORE USING TETANUS ANTITOXIN ?

It is important to tell the doctor or nurse if any of the points below apply to you. If there is anything you do not understand, ask the doctor or nurse to explain.

- In all cases, whether for prophylactic or therapeutic use, due precautions must be taken to avoid any risk of allergy following the administration of this product as some individuals are likely to be sensitive to equine serum.
- Before giving the serum, therefore, it is always necessary to go into the previous history of the presence of allergic diseases like asthma, eczema, hay fever, etc., and also into the history of previous treatment with equine sera. Such patients should be treated with extreme care and caution.

3. HOW TO USE TETANUS ANTITOXIN ?

Prophylactic use:

Tetanus antitoxin is to be given prophylactically to persons at risk with infected wounds, wounds contaminated with soil or mud, deep or punctured wounds and wounds with devitalising tissue damages. A dose of 1,500 IU should be given subcutaneously or intramuscularly as early as possible after the wound is received. In severe wounds, the dose may be doubled or trebled and the antitoxin injected in two or three places around the wound. Prophylactic use is also to be recommended in case of surgical operations involving reopening of old scars, piles and fistulae and those in which faecal contamination is likely.

Along with prophylactic passive immunisation, it is advisable to initiate active immunisation with adsorbed Tetanus toxoid.

Therapeutic Use:

For therapy, large doses 100,000 - 200,000 IU of antitoxin should be given very

slowly by intravenous route followed by smaller weekly doses intramuscularly as required. Some physicians prefer a smaller initial dose of 20,000 IU or so intramuscularly. Active immunisation may be initiated when the patient is cured of the illness.

4. WHICH ARE THE POSSIBLE SIDE EFFECTS ?

In any case, either for prophylactic use or for therapeutic use, it is important to take precautions against possible allergic reactions especially for people with a known allergy to sera of equine origin.

In a very small minority of cases, however, a severe shock resembling an anaphylactic shock develops within a few minutes of administration of serum, and some of these cases, if not immediately and properly treated, may prove fatal.

5. HOW TO CONSERVE TETANUS ANTITOXIN ?

Tetanus Antitoxin should be stored in the dark between 2°C to 8°C.
DO NOT FREEZE

6. ADDITIONAL INFORMATION

Each ampoule contains
Tetanus Antitoxin 1500 IU
Preservative $\leq 0.25\%$ Phenol

If any unusual signs or symptoms occur then immediately inform your doctor.
Please refer package leaflet before use.

Marketing Authorization Holder:

INSTITUT PASTEUR DU MAROC -

1 Place Louis Pasteur 20360, Casablanca, Maroc

Name and address of the Manufacturer



Manufactured by:

SERUM INSTITUTE OF INDIA PVT. LTD.

212/2, Hadapsar, Pune 411028, INDIA

Last date when this package leaflet has been verified:
26.06.2017

Prescribing and dispensing conditions
Product subject to hospital prescription.

Information reserved to health professionals
Medical product requiring special monitoring during treatment.

PHARMACIE DUNE D'ANFA
FILDA AZMI ROUISSI
11, AVENUE DRISS SLAOUI

Patente N°: 35690121
N° R.C. : 335426
Compte :
CNSS : 6748406
Id.Fiscale : 40190195
ICE : 001597623000079

Tél : 0522393030

Le : 09/04/2019

Mme circe GAROFALO

FACTURE : 2794 du : 09/04/2019

Qté	Désignation	Prix PPV	Montant	TVA
1	AUGMENTIN 1G/125MG/24STS	222,00	222,00	7,00%
1	CELEBREX 200MG BT10 CP	89,00	89,00	7,00%
1	NO-DOL FEN 400MG/30CP	30,00	30,00	7,00%
1	OEDES 20MG BT/14 CP	52,80	52,80	7,00%
1	SERUM ANTITETANIQUE PASTE	29,00	29,00	7,00%
Total TTC			422.80	
Droits de timbre			1.06	
Net à payer			423.86	

Arrêtée la présente facture à la somme de : QUATRE CENT VINGT TROIS DIRHAMS ET QUATRE-VINGT SIX CTS

	Taux	HT	TVA	TTC
7.00%	7,00	395,14	27,66	422,80
		395,14	27,66	422,80

PHARMACIE DUNE D'ANFA
11 Avenue Driss Slaoui
Casablanca
Tel : 0522 39 30 30
N° INPE : 092022482

Clinique jumelée au centre
européen de chirurgie endoscopique
jeanne d'arc de lyon



مصحة متوأمة بالمركز
الأوربي للجراحة الاندوسكوبية
جان دارك بليون

FACTURE

FACTURE N° : 700/2019

Casablanca, le 09/04/2019

Nom patient : Mme CIRCE GAROFALO

Examen(s) réalisé(s) **RADIOGRAPHIE DE LA MAIN : 300**

INJECTION : (SAT) 50 DH

PHARMACIE : 200 DH

MEDECIN : PR.D.COHEN : 400 DH

Montant .950 DHS

ARRETTE LA PRESENTE FACTURE A LA SOMME DE :

NEUF CENTS CINQUANTE DHS

SERVICE RADIOLOGIE
CLINIQUE ANDALOUSS
19, Av. Driss Slaoui - Casablanca
Tél.: 05 22 36 39 55/05 22 36 27 27

Réanimation intensive • Radiologie polyvalente 24/24

19, Bd, Driss SLAOUI (Ex Temara) - Anfa - Casablanca - Fax.05 22 39 39 43: الفاكس - Tél. 05 22 36 27 27 (L.G) : الهاتف - الدار البيضاء - أنفا - عمارة سلاوي (شارع ادريس السلاوي)
19, شارع ادريس السلاوي (عمارة سابقا) - أنفا - الدار البيضاء - الهاتف : 05 22 36 27 27 (L.G) - الفاكس : 05 22 39 39 43

IF : 01004447 - CNSS : 6234752 - Patente : 35605793

Clinique jumelée au centre
européen de chirurgie endoscopique
jeanne d'arc de lyon



مصحة متوأمة بالمركز
الأوربي للجراحة الاندوسكوبية
جان دارك بليون

Casablanca le: 09/04/19

NOM : MME. GAROFALO CIRCE

EXAMEN : RADIOGRAPHIE DE LA MAIN DROITE FACE ET PROFIL

- Présence d'une petite solution de continuité osseuse partielle siégeant au niveau de la tête de la phalange distale du 3^{ème} doigt de la main droite.
- Absence d'autre anomalie de densité osseuse.
- Interlignes articulaires respectées

Cordialement

Clinique Andalouss
19, Bd, Driss Slaoui
Anfa - Casablanca
Patente : 35605793 - RC : 97287
Tél: 0522 36 27 27 - Fax: 0522 39 39 43

SERVICE RADIOLOGIE
CLINIQUE ANDALOUSS
19, Av. Driss Slaoui - Casablanca
Tél: 05 22 36 39 55 / 05 22 36 27 27

Réanimation intensive • Radiologie polyvalente 24/24

19, Bd, Driss SLAOUÏ (Ex Temara) - Anfa - Casablanca - Fax: 05 22 39 39 43: الفاكس - Tél. 05 22 36 27 27 (L.G): الهاتف - أنفا - الدار البيضاء - 19, شارع ادريس السلاوي (تمارة سابقا) - أنفا - الدار البيضاء

IF : 01004447 - CNSS : 6234752 - Patente : 35605793