

RECOMMANDATIONS IMPORTANTES A LIRE POUR ACTIVER LES REMBOURSEMENTS ET EVITER LES REJETS

Conditions générales :

- Le cadre réservé à l'adhérent doit être dûment renseigné.
- Le cadre réservé au médecin doit être renseigné par le praticien lui-même notamment la nature de la maladie.
- La validité de la feuille de soins est limitée à 3 mois à compter de la première consultation.
- L'entente préalable est exigée pour toute hospitalisation médicale, chirurgicale, soins dentaires spéciaux, extractions multiples, parodontie orthodontie, prothèses dentaires, prothèses auditives ou orthopédiques ainsi que pour tous les actes effectués en série.
- En cas d'accident, une déclaration précisant les causes et circonstances de l'accident est à joindre à la feuille de soins.

Pharmacie :

- Les vignettes des médicaments doivent être obligatoirement jointes aux ordonnances.
- Pour les médicaments sans vignettes une facture de la pharmacie doit être jointe.

Radiologie et Biologie :

- La facture ainsi qu'une copie des résultats des analyses ou du compte rendu (sous pli confidentiel) doivent être jointes à l'ordonnance médicale pour toute demande de remboursement.
- Un pli confidentiel du médecin prescripteur des analyses ou radios peut être demandé par le médecin conseil de la mutuelle.

Optique :

- L'ordonnance du médecin prescripteur et la facture de l'opticien sont à joindre à la feuille de soins.

Rééducation :

- L'entente préalable renseignée par le médecin prescripteur est exigée avant le début des séances de rééducations.
- Pour le remboursement, la facture et le calendrier des séances effectuées sont à joindre à la feuille de soins.

Dentaire :

- En cas de prothèses ou de traitement canalaire, l'accord préalable renseigné sur la feuille de soins est obligatoire avant le début de traitement.
- La facture doit être jointe à la feuille de soins pour toute demande de remboursement.
- La radio-après soins est obligatoire en cas de prothèses ou de traitement canalaire.

Maladie et Affection Longue Durée ALD et ALC :

- La déclaration de maladie chronique doit être renseignée par le médecin prescripteur et renouvelée tous les 6 mois.



Déclaration de Maladie

N° W19-537830

☒ Maladie ☐ Dentaire ☐ Optique ☐ Autres

Cadre réservé à l'adhérent (e) : **4244**

Matricule : **4244** Société : **nos: 30651**

☐ Actif ☒ Pensionné(e) ☐ Autre :

Nom & Prénom : **TAHRI Abdelkadir**

Date de naissance : **19/07/56**

Adresse :

Tél. : **06 66 70 8919** Total des frais engagés : **942,00** Dhs

Cadre réservé au Médecin : **DR. MOHAMED AMRAN**

Cachet du médecin : **HEPATO GASTRO - ENTROLOGUE**
5, Angle Bd de Paris 1 Bd Hassan 1er
Tél: 0522 26 32 78 - 0522 27 01 ;
Fax: 0522 20 38 21 Casablanca

Date de consultation : **15 JUIN 2020**

Nom et prénom du malade : **Dikhai Aicha** Age: **19 JUN 2020**

Lien de parenté : ☐ Lui-même ☒ Conjoint ☐ Enfant

Nature de la maladie : **Affect Digestive**

En cas d'accident préciser les causes et circonstances :

Dans le cas où la maladie aurait un caractère confidentiel, communiquer les renseignements sous pli confidentiel à l'attention du médecin conseil de la Mutuelle.

J'atteste sur l'honneur l'exactitude des renseignements portés sur la présente déclaration. Je déclare avoir pris connaissance de la clause relative à la protection des données personnelles.

Fait à : **Dahm** Le : **15/06/2020**

Signature de l'adhérent(e) :

Adresses Mails utiles

- Réclamation : contact@mupras.com
- Prise en charge : pec@mupras.com
- Adhésion et changement de statut : adhesion@mupras.com

La MUPRAS garantit le respect de la loi n° 09-08 relative à la protection des personnes physiques à l'égard du traitement des données à caractère personnel.

MUPRAS : Centre Allal Ben Abdellah - 6ème Etage Angle Rue Mohamed Fakir et Rue Allal Ben Abdellah - Quartier de l'Horloge
Casablanca 20000 - Tél : 05 22 20 45 45 (LG) - Fax : 05 22 22 78 18 - www.mupras.com

RELEVÉ DES FRAIS ET HONORAIRES

Dates des Actes	Natures des Actes	Nombre et Coefficient	Montant détaillé des Honoraires	Cachet et signature du Médecin attestant le Paiement des Actes
15 JUN 2020	C2		300 DM	INP : 09 10 11 080 Dr. MOHAMED AMRAN HEPATO - GASTRO - ENTROLOGUE 5, Angle Bd de Paris 1 Bd Hassan 1er T: 0522 26 32 78 - 0522 27 01 11 Fax: 0522 20 38 21 Casablanca

EXECUTION DES ORDONNANCES

Cachet du Pharmacien ou du Fournisseur	Date	Montant de la Facture
	16 juin - 2020	142.20

ANALYSES - RADIOGRAPHIES


Cachet et signature du Laboratoire ou du Radiologue	Date	Désignation des Coefficients	Montant des Honoraires
	12 JUN 2020	K 3.5 Echographie Abdominal	300 DM

AUXILIAIRES MEDICAUX


Cachet et signature du Particien	Date des Soins	Nombre				Montant détaillé des Honoraires
		AM	PC	IM	IV	

VOLET ADHERENT

* Il est entendu que le règlement est conditionné par la fourniture de tous les justificatifs exigés par la Mutuelle.



O.D.F
PROTHESES DENTAIRES



DETERMINATION DU COEFFICIENT MASTICATOIRE

H		
25533412	21433552	
0000000	0000000	
D		G
0000000	0000000	
35533411	11433553	
	B	

[Création, remont, adjonction]
Fonctionnel, Thérapeutique, nécessaire à la profession

COEFFICIENT DES TRAVAUX

MONTANTS DES SOINS

DEBUT D'EXECUTION

FIN D'EXECUTION

COEFFICIENT DES TRAVAUX

MONTANTS DES SOINS

DATE DU DEVIS

DATE DE L'EXECUTION

VISA ET CACHET DU PRATICIEN ATTESTANT LE DEVIS

VISA ET CACHET DU PRATICIEN ATTESTANT L'EXECUTION

Docteur MOHAMED AMRANI

HEPATO - GASTRO - ENTEROLOGUE
Spécialiste Diplômé du C.E.S.
des Maladies de l'Appareil Digestif
de la Faculté de Médecine de Toulouse
Maladies de l'Anus et du Rectum
Chirurgie Anale - Endoscopie Digestive
Membre de la Société Nationale Française
de Gastro-Entérologie
Membre de la Société Française
D'Endoscopie Digestive

5, Angle Bd. de Paris et Bd. Moulay Hassan 1er

Tél. : C. { 05 22 26 32 78
05 22 27 00 86

Fax : 05 22 20 38 21

E-mail: amranimoh@hotmail.fr

SUR RENDEZ-VOUS

الدكتور محمد العمراني

اختصاصي حائز على شهادة الاختصاص
في أمراض الجهاز الهضمي
من كلية الطب بتونس
أمراض الكبد، المعدة، الأمعاء
والبواسير - جراحة البواسير
عضو في الجمعية الفرنسية
لأمراض الجهاز الهضمي
عضو في الجمعية الفرنسية
للفحص بالمنظار

5. زاوية شارع باريس و شارع مولاي الحسن الأول

الهاتف : المكتب { 05 22 26 32 78
05 22 27 00 86

الفاكس : 05 22 20 38 21

البريد الإلكتروني : amranimoh@hotmail.fr

بالموعد

Casablanca, le 16 JUIN 2020 في الدار البيضاء.

142,20

FORTTRANS

1 sachet de 1 litre d'eau
Pour les 4 sachets fournis
= perle de 17h

Docteur MOHAMED AMRANI
HEPATO - GASTRO - ENTEROLOGUE
5, Angle Bd. de Paris 1 Bd Hassan 1er
Tél: 05 22 26 32 78 - 05 22 27 00 86
Fax: 05 22 20 38 21 Casablanca

Docteur **Mohamed AMRANI**
Hépto - Gastro - Entérologue

*

Proctologie Médico-Chirurgicale
Endoscopie Digestive
Echographie Abdominale

*

Spécialiste du C.E.S.
de la Faculté de Toulouse

Note d'honoraires

Date	Numéro
15/06/2020	162

DIKHAI AICHA

Date	Lieu	Acte	Montant
15/06/20	Cabinet	echographie	500,00
Total			500,00

Arrêtée la présente Note à la somme de:

CINQ CENTS DIRHAMS


MOHAMED AMRANI
HEPATO - GASTRO - ENTROLOGUE
5, Angle Bd de Paris 1 Bd Hassan 1er
tél: 0522 26 32 78 - 0522 27 00 86
fax: 0522 20 38 21

Docteur **Mohamed AMRANI**
Hépto - Gastro - Entérologue

*
Proctologie Médico-Chirurgicale
Endoscopie Digestive
Echographie Abdominale
*

Spécialiste du C.E.S.
de la Faculté de Toulouse

ECHOGRAPHIE ABDOMINALE

Mme DIKHAI Aicha

Casablanca le, 15/06/2020

Clinique

Douleurs abdominales.

Examen

Foie de taille normale, d'échostructure homogène et de contours réguliers.
Veine porte de calibre normal. Veines sushépatiques libres.

Vésicule biliaire alithiasique, à paroi fine.
Voies biliaires intra et extrahépatiques non dilatées.

Pancréas de taille et d'échostructure normales.
Absence d'adénopathies coéliomésentériques.


Rate homogène, de volume normal.

Reins de taille et d'échostructure normales avec bonne différenciation corticosinusale,
sans dilatation des cavités pyélocalicielles.

Aérocolie++

Conclusion

Echographie abdominale sans particularité.
Aérocolie++


MOHAMED AMRANI
HÉPATO - GASTRO - ENTÉROLOGUE
5, Angle Bd de Paris 1^{er} Bd Hassan 1^{er}
Tél: 0522 26 32 78 - 0522 27 01
Fax: 0522 20 38 21 - Casablanca

FORTTRANS[®]

powder for oral solution in sachet

Read all of this leaflet carefully before you start using this medicine as it contains important information for you.

- Keep this leaflet. You may need to read it again.
- If you have any further questions, if you have doubts, ask your doctor or pharmacist.
- This medicine has been prescribed for you. Do not pass it on to others. It may harm them, even if their symptoms are the same as yours.
- If you have any undesirable effect please contact your doctor or pharmacist. This also refers to any undesirable effects which is not mentioned in this leaflet (see section 4)

In this leaflet:

1. What FORTTRANS, powder for oral solution in sachet is and what it is used for?
2. Before you use FORTTRANS, powder for oral solution in sachet?
3. How to use FORTTRANS, powder for oral solution in sachet?
4. Possible side effects?
5. How to store FORTTRANS, powder for oral solution in sachet?
6. Further information

1. What FORTTRANS, POWDER FOR ORAL SOLUTION IN SACHET IS AND WHAT IT IS USED FOR?

OSMOTIC LAXATIVE ATC Code: A06AD06

A: digestive system and metabolism

This medicine is used to cleanse the bowel before a medical procedure or bowel surgery.

FORTTRANS belongs to a group of medicines called osmotic laxatives containing macrogol (polyethylene glycol or PEG) with high molecular weight and additional salts. It works by adding water in the bowel which increase the frequency of the bowels which become more and more liquid and lead forward to a cleansing of the bowel.

2. BEFORE YOU USE FORTTRANS, POWDER FOR ORAL SOLUTION IN SACHET?

Do not use FORTTRANS:

- If you are allergic to macrogol 4000 or to anhydrous sodium sulfate, or to sodium bicarbonate or to sodium chloride, or to potassium chloride or to any of the other ingredients of this medicine which are listed in Section 6.
- If you have severe impaired general condition such as dehydration or severe heart failure (cardiac insufficiency).
- If you have an existing severe disease of intestinal tract such as:
 - advanced stage carcinoma or any other serious colon disease leading to excessive mucosal fragility
 - known obstruction or suspicion of intestinal obstruction or an ileus.
 - perforation of intestinal mucosa
 - gastric emptying troubles (such as gastroparesis)
 - toxic colitis or toxic megacolon

Special warnings and precautions for use

This product should be administered to elderly patients in a frail general condition only under medical supervision.

Diarrhoea provoked by administration of FORTTRANS is likely to result in considerable disturbance of the absorption of simultaneously administered drugs. (Please see section Interaction with other medicinal products). This medicine contains macrogol. Allergic reactions have been reported with products containing macrogol (cutaneous eruption, urticarial and severe allergic reactions with sudden swelling of face, lips, tongue and with short breath or wheezing).

If you are subject to disturbances of mineral salts blood levels (electrolytic disturbances), your doctor may decide to monitor your electrolytes blood level before and after the intake of the medicine.

Inform your doctor or pharmacist before taking this medicine if:

- You have cardiac troubles (e.g cardiac insufficiency)
- You have renal troubles
- You have difficulties in swallowing or you have tendencies to aspiration (move of food or fluid in your lungs).
- You must remain on bed,
- You are taking a diuretics treatment (medicines which increase urine volume)

Children and adolescents

FORTTRANS is not for use in children below 18 years old. Its safety and efficacy has not yet been established in this population. This medicine contains sodium. This medicine contains 1,967 g of sodium per sachet. To be taken into account in patients with strict low-salt diet.

Using other medicines

Please tell your doctor or pharmacist if you are taking or have recently taken any other medicines, especially:

- Oral medication taken regularly: oral medication may be flushed from the gastro-intestinal tract induced by the preparation and not absorbed and must be taken more than 2 hours before enema ingestion. Avoid other treatments take before and after laxative ingestion and until completion of the exam. The efficacy of drugs with a narrow therapeutic index or short half-life may be particularly affected.

Pregnancy and breast-feeding

If you are pregnant or breastfeeding, think that you may be pregnant or are planning to have a baby, ask your doctor or pharmacist for advice before taking this medicine.

Excipient with known effect:
FORTTRANS contains sodium

3. HOW TO USE FORTTRANS, POWDER FOR ORAL SOLUTION IN SACHET?

Always take this medicine exactly as your doctor or pharmacist to do. Check with your doctor or pharmacist if you are not sure. FORTTRANS must be used by oral route and in adults only. The recommended dosage is 1 litre of the solution for 15 to 20 kg weight, which corresponds to an average dosage of 3 to 4 litres reconstituted solution.

Each sachet must be dissolved in one litre of water. Shake until completely dissolved. Once reconstituted, the solution should be drunk without delay. Each litre of solution must be absorbed in 1 hour. FORTTRANS can be ingested either in a single dose (3 to 4 litres the evening before the procedure) or in divided doses (2 litres ingested in the evening before the procedure, 1 to 2 litres in the morning of the procedure or 3 litres the night before and 1 litre on the morning of the procedure). According to the prescription of your doctor you must drink one glass of the solution every 10 to 15 minutes.

You have to finish swallowing the solution at least 3 or 4 hours before beginning of the procedure.

If you take more FORTTRANS, powder for oral solution in sachet you should:

If you think you have taken too much FORTTRANS tell your doctor. Sufficient water or clear liquids to stop you becoming dehydrated.

4. POSSIBLE SIDE EFFECTS?

Like all medicines, this medicine can cause side effects, although not everybody gets them.

After taking this medicine you will need to empty bowels frequently. This is normal and shows that the medicine is taking action. Stay near the toilets until the effects of the medicine stop.

Tell your doctor immediately and stop taking FORTTRANS if you get the following effects:

- A severe allergic reaction with swelling of the face, lips, tongue or a difficulty in breathing or a severe malaise with decrease of arterial pressure (anaphylactic choc).
- The other undesirable effects include:
 - Very common (in more than 1 patient out of 10): nausea, abdominal pain and abdominal distention (bloating).
 - Common (until 1 patient out of 10): Vomiting
 - Unknown frequency (cannot be estimated based on available data): other allergic reactions: cutaneous eruption.

Reporting of side effects

If you get any side effects, talk to your doctor or pharmacist. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via Agence nationale de sécurité du médicament et des produits de santé (ANSM) et réseau des Centres Régionaux de Pharmacovigilance - Web site: www.ansm.sante.fr. By reporting side effects you can help provide more information on the safety of this medicine.

5. HOW TO STORE FORTTRANS, POWDER FOR ORAL SOLUTION IN SACHET?

Keep out of the reach and sight of children.

Do not use FORTTRANS after the expiry date stated on the carton and sachet.

Expiry date is the last day of the concerned month.

No special condition for storage.

Medicines should not be disposed of via wastewater or household waste.

Ask your pharmacist how to dispose of medicines no longer required.

These measures will help to protect the environment.

6. FURTHER INFORMATION

What FORTTRANS, powder for oral solution in sachet contains?

The active substance is:

Macrogol 4000*	64.000 g
Anhydrous sodium sulfate	5.700 g
Sodium bicarbonate	1.680 g
Sodium chloride	1.460 g
Potassium chloride	0.750 g

For one sachet of 73,690 g.

* = P.E.G. 4000 = Polyethyleneglycol 4000

The other ingredients is: Saccharine sodium.

What FORTTRANS, powder for oral solution in sachet looks like and contents of the pack?

This medicinal product is a powder for oral solution, white to almost white. Pack of 4 or 50 sachets. All pack sizes may not be all marketed

Marketing Authorisation Holder / Distributor

IPSEN PHARMA

65 QUAI GEORGES GORSE

92100 BOULOGNE-BILLANCOURT

Manufacturer

BEAUFOR IPSEN INDUSTRIE

RUE ETHE VIRTON

28100 DREUX-FRANCE

The leaflet was last approved in 20/07/2015.

Detailed information on this medicine is available on the web site of ANSM (France).

6118001181209



P.P.V. : 14220 DH

FORTTRANS SAC B4

maphar

LOT : P17/74
Exp : 07/2022



1043025 RV