



MUPRAS

Mutuelle de Prévoyance
& d'Actions Sociales
de Royal Air Maroc

Déclaration de Maladie

N° W19-547149

48466

☒ Maladie

☐ Dentaire

☐ Optique

☐ Autres

Cadre réservé à l'adhérent (e)

Matricule :

2069

Société :

RAM

☐ Actif

☐ Pensionné(e)

☒ Autre :

Retraité

Nom & Prénom :

Mr SOUMMANE Abdessadeq

Date de naissance :

01-01-1949

Adresse :

HABITUELLE

Tél. :

0766606789

Total des frais engagés :

300 + 2574,20 + 3490,00 = 6364,20

Dhs

Cadre réservé au Médecin

Cachet du médecin :

Dr. Ghita MANOUE
Spécialiste en Endocrinologie
Diabétologie Nutrition
Espace Roudani 230 Bd. Roudani 4ème Etage
Casablanca - Tél. : 05 22 23 7671

Date de consultation :

4/11/2020

Nom et prénom du malade :

SOUMMANE ABDESSADEQ

Age :

71 ans

Lien de parenté :

☒

Lui-même

☐

Conjoint

☐

Enfant

Nature de la maladie :

Diabète

En cas d'accident préciser les causes et circonstances :

Dans le cas où la maladie aurait un caractère confidentiel, communiquer les renseignements sous confidentiel à l'attention du médecin conseil de la Mutuelle.

J'atteste sur l'honneur l'exactitude des renseignements portés sur la présente déclaration. Je déclare avoir pris connaissance de la clause relative à la protection des données personnelles.

Fait à :

Casablanca 04-11-2020

Signature de l'adhérent(e) :

Le :

04 / NOV / 2020

(+ 19 / NOV / 2020)

24 NOV. 2020
ACCUEIL
MUPRAS
ACCUEIL

RELEVÉ DES FRAIS ET HONORAIRES

Dates des Actes	Natures des Actes	Nombre et Coefficient	Montant détaillé des Honoraires	Cachet et signature du Médecin attestant le Paiement des Actes
4/11/2020	Diabète	1	3000 DAS	INP : 10810074557
13/11/2020	Malade	1	6000	

EXECUTION DES ORDONNANCES

Cachet du Pharmacien ou du Fournisseur	Date	Montant de la Facture
	19/11/20	2574,20

ANALYSES - RADIOGRAPHIES

Cachet et signature du Laboratoire et du Radiologue	Date	Désignation des Coefficients	Montant des Honoraires

AUXILIAIRES MEDICAUX

Cachet et signature du Particien	Date des Soins	Nombre				Montant détaillé des Honoraires
		AM	PC	IM	IV	
	19/11/20					3490

sachet annexe → : NB voir cartons d'emballages en complet dans le sachet

Dr. Ghita MAMOU

Spécialiste en Endocrinologie, Diabétologie,
Maladies métaboliques et Nutrition

Diabète, Cholestérol, Obésité, Thyroïde, Goitre
Troubles de la croissance et de la puberté
Pathologies surrénaliennes et hypophysaires



الدكتورة غيثة مامو

أخصائية في أمراض الغدد و السكري
أمراض الأيض وطب التغذية

مرض السكري، الكوليستيرول، السمنة
الغدة الدرقية، اختلالات النمو، الغدة النخامية

Casablanca, le : 19/11/2020.

Nom : Dr Soummam Abdelaziz

92,1023

Annuel 3

28,00 x 6 1 p le matin à L

Glucophage 1g

1 p x 2 / j après repas.

390,00 x 2

Galvus 50

152,50 x 6 1 p / j

Canter Solar

188,50 20 UI le soir

97,60 Noed 20

49,60 D Cure 1 p / j

257420 1 amp / 15 j à 2 mois

pas 1 amp / mois x le mois

PHARMACIE du 2 MARS
Mme EL ALAOU Aicha
575 Av du 2 Mars Andalous 1
Tél: 05 22 28 57 84 - Casablanca

3mm

Dr. Ghita MAMOU
Spécialiste en Endocrinologie
Diabétologie Maladies Métaboliques
Nutrition
Roudani 230 - Tél: 05 22 23 70 71

Dr. Ghita MAMOU

Spécialiste en Endocrinologie, Diabétologie
Maladies Métaboliques et Nutrition

Ancienne interne des Hôpitaux de Montpellier-Nîmes
Ancienne interne du CHU Ibn Rochd de Casablanca
Diplômée en nutrition médicale de l'université de Montpellier
(Diabète, Goitre, Obésité, hypertension artérielle, Cholesterol,
Troubles de la croissance et de la puberté, pathologie
Surrénalienne et hypophysaire)

الدكتورة غيثة مامو

أخصائية في أمراض الغدد و السكري
أمراض الأيض وطب التغذية

طبيبة داخلية سابقا بمستشفى مونيولي-نيم
طبيبة داخلية سابقا بمستشفى ابن رشد بالدار البيضاء
دبلوم طب التغذية في كلية الطب بجامعة مونيولي
(مرض السكري، الغدة الدرقية، الضغط الدموي
الكوليستيرول اختلالات النمو الغدة النخامية)

Le: 19/11/2020 في:

CF soummame Abdelmalek

150 - Lecteur de glycémie

240 x 11. Bandelettes de glycémie

100 Lancettes x 6/5

100. Aiguilles veineuses

3490.-

30 mois



Dr. Ghita MAMOU
Spécialiste en Endocrinologie
Diabétologie, Maladies Métaboliques
et Nutrition
N°1 rue Roudani 230 bd. Roudani 4ème Etage
Casablanca - Tél. : 05 22 23 77 77

Le praticien est prié de

Important :

Veillez joindre les radi

AMAREL 3MG
CP B30

P.P.V. : 92DH10



AMAREL 3MG
CP B30

P.P.V. : 92DH10



AMAREL 3MG
CP B30

P.P.V. : 92DH10



sanofi-aventis Maroc

Route de Rabat - R.P.1-
Ain Sebaâ 20250 - Casablanca
LANTUS SOLOSTAR 100U/ML SOL INJ B1

P.P.V. : 152DH50



sanofi-aventis Maroc

Route de Rabat - R.P.1-
Ain Sebaâ 20250 - Casablanca
LANTUS SOLOSTAR 100U/ML SOL INJ B1

P.P.V. : 152DH50



sanofi-aventis Maroc

Route de Rabat - R.P.1-
Ain Sebaâ 20250 - Casablanca
LANTUS SOLOSTAR 100U/ML SOL INJ B1

P.P.V. : 152DH50



sanofi-aventis Maroc

Route de Rabat - R.P.1-
Ain Sebaâ 20250 - Casablanca
LANTUS SOLOSTAR 100U/ML SOL INJ B1

P.P.V. : 152DH50



sanofi-aventis Maroc

Route de Rabat - R.P.1-
Ain Sebaâ 20250 - Casablanca
LANTUS SOLOSTAR 100U/ML SOL INJ B1

P.P.V. : 152DH50



PPV : 49,60 DH

3 ampoules buvables

D-CURE® FORTE



PPV : 49,60 DH

3 ampoules buvables

D-CURE® FORTE



PPV : 49,60 DH

3 ampoules buvables

D-CURE® FORTE

[Création, remont, adjonction]
Fonctionnel, Thérapeutique, nécessaire à la profession

*En tout:
22 vignettes PPV
avec codes barres*

NOCOL® 20 mg

30 comprimés pelliculés



PPV : 97,60

NOCOL® 20 mg

60 comprimés pelliculés



PPV : 188,50

Glucophage® 1000mg

30 comprimés pelliculés



PPV : 28,00

Glucophage® 1000mg

30 comprimés pelliculés



PPV : 28,00

Glucophage® 1000mg

30 comprimés pelliculés



PPV : 28,00

Galvus® 50 mg

Boîte de 60 comprimés



PPV : 390 DH

Galvus® 50 mg

Boîte de 60 comprimés



PPV : 390 DH

FACTURE N° :2001086

Date :

19/11/2020

SOUMMANE ABDESSADEQ**CASABLANCA**

Condition de paiement :

REF	DESIGNATION	QTE	PU T.T.C (Dhs)	Total T.T.C (Dhs)
	SD Bandelette CODE FREE (50U)	11	240,00	2 640,00
	Aiguilles pour stylo à insuline 4mm (bte100u)	1	200,00	200,00
	Lancettes boîte (100U)	5	100,00	500,00
	SD lecteur de glycémie CODE FRE	1	150,00	150,00

Montant TTC 3 490,00

Arrêtée la présente Facture à la somme de (T.T.C) :

Trois mille quatre cent quatre-vingt-dix Dirhams



MediGlobal®

Pour votre bien être

Paroi fine

Sans douleurs

Non toxique

Aiguilles pour stylo d'insuline

إبر قلم الأنسولين

Pen needles

MediGlobal

Medi Fine®

19-NOV-20



4mm
32GX100pcs



MediGlobal®



22 Lot Mauritania, ZI Ain Sebaa
Casablanca Maroc

Tél : 05 22 34 32 49 - Fax : 05 22 66 26 53

E-mail : mediglobal@mediglobal.ma

LOT : 19APR194M
EXP : 19/04/2024
REF : MG32-4M100

SD Codefree™

BLOOD GLUCOSE MONITORING SYSTEM

NEW

BLOOD GLUCOSE MONITORING SYSTEM

SD
Pièce
Annexe à la feuille de sc
N° W19-547149
Codefree™

Accurate &
Easy to Use

5sec. 5 Seconds
Fast Test Time

0.9µl 0.9µl Small
Blood Sample

Hypo Hypo
Warning

Mealmark Pre & Post
Meal Mark

No
Coding



GOLD ELECTRODE



SD BIOSENSOR

SD Codefree™ Sistem de monitorizare a glicemiei

CONTINUT

Dispozitiv de masurare a concentratiei de glucoza din sange (01GM11)
10 teste pentru determinarea glicemiei (01GS11A) (optional)
Teste de verificare STANDARD™ (01GCH10)
Solutie de control STANDARD™ (01GCS10-M) (optional)
10 ace
Dispozitiv de intepare
Baterie de 3 V CR 2032
Borseta
Manual de utilizare
Jurnal de testari

Pentru utilizare in vitro

SD Codefree™. Sistemul de monitorizare a concentratiei de glucoza din sange este un dispozitiv medical de diagnostic in vitro pentru auto-testare.

SD Codefree™ Система для определения глюкозы в крови

CONTENTS

Люкометр (01GM11)
10 тест-полосок (01GS11A)
(поставляется по желанию покупателя)
Контрольная полоска (01GCH10)
Контрольный раствор STANDARD™ - уровень М (01GCS10)
(поставляется по желанию покупателя)
10 ланцетов
Прокалыватель
3В батарейка (CR2032)
Футляр
Руководство пользователя
Дневник самоконтроля

Только для in vitro диагностики

Система мониторинга крови SD Codefree™ является медицинским диагностическим прибором для самопроверки.



CE 0123

Authorized Representative
MT Promed Consulting GmbH
Altenhofstrasse 90 66386 St. Ingbert Germany
Phone : +49 6894 581020, Fax : +49 6894 581021

Lancet
Refer to the separate label.

Lancing Device
Beijing Ruicheng Medical Supplies Co., Ltd.

REF 01GM11

Cat. No.: 01GCS10



8 809319 390213

MB01CF1MLR8
Issue date: 2019.03

19-11-20

INSTRUCTIONS FOR USE:

5



1. Wash hands with soap and warm water. Dry thoroughly.
2. Select fingertip site, slightly off-center.
3. Remove protective lancet cover; above (steps 1 & 2). If seal is already broken discard lancet.
4. Insert lancet into lancing device, use to puncture skin.
5. Apply drop of blood to test strip, wipe excess from finger.
6. Recap lancet, discard in appropriate container.

CE 0123



STERILE R



Lancets

LOT : 200325T



: 2025-03-24

WARNING:

Needle is sterile if cap is unopened and undamaged.
Do not use lancet if protective cap have been previously removed.
Do not reuse lancets.
Do not store lancet in lancing device.

100 Sterile Single Use Lancets

Code No: TL30100



Lancets

- Tri bevel tip for a more comfortable sampling
- Universal design fits most lancing devices
- Not made with natural rubber latex

30G

Universal Design
Use Once and Destroy
100 Sterile Single Use Lancets



Lancets

Single Use Only
Sterile Tip

30G

100 Sterile Single Use Lancets



Shanghai Carelife International Trading Co., Ltd.
1707 Yinqiao Bldg., 58 Jinxin Rd.
201206 Shanghai, CHINA

EC REP

Shanghai International Holding Corp. GmbH (Europe)
Eiffelstraße 80, 20537
Hamburg, GERMANY

Made in China

19-11-20

INSTRUCTIONS FOR USE:

5



1. Wash hands with soap and warm water. Dry thoroughly.
2. Select fingertip site, slightly off-center.
3. Remove protective lancet cover; above (steps 1 & 2). If seal is already broken discard lancet.
4. Insert lancet into lancing device, use to puncture skin.
5. Apply drop of blood to test strip, wipe excess from finger.
6. Recap lancet, discard in appropriate container.

CE 0123



STERILE R



Lancets

LOT : 200325T



: 2025-03-24

WARNING:

Needle is sterile if cap is unopened and undamaged.
Do not use lancet if protective cap have been previously removed.
Do not reuse lancets.
Do not store lancet in lancing device.

100 Sterile Single Use Lancets

Code No: TL30100



Lancets

- Tri bevel tip for a more comfortable sampling
- Universal design fits most lancing devices
- Not made with natural rubber latex

30G

Universal Design
Use Once and Destroy
100 Sterile Single Use Lancets



Lancets

Single Use Only
Sterile Tip

30G

100 Sterile Single Use Lancets



Shanghai Carelife International Trading Co., Ltd.
1707 Yinqiao Bldg., 58 Jinxin Rd.
201206 Shanghai, CHINA

EC REP


Shanghai International Holding Corp. GmbH (Europe)
Eiffelstraße 80, 20537
Hamburg, GERMANY

Made in China

19-11-20

INSTRUCTIONS FOR USE:

5



1. Wash hands with soap and warm water. Dry thoroughly.
2. Select fingertip site, slightly off-center.
3. Remove protective lancet cover; above (steps 1 & 2). If seal is already broken discard lancet.
4. Insert lancet into lancing device, use to puncture skin.
5. Apply drop of blood to test strip, wipe excess from finger.
6. Recap lancet, discard in appropriate container.

CE 0123



STERILE R



Lancets

LOT : 200325T



: 2025-03-24

WARNING:

Needle is sterile if cap is unopened and undamaged.
Do not use lancet if protective cap have been previously removed.
Do not reuse lancets.
Do not store lancet in lancing device.

100 Sterile Single Use Lancets

Code No: TL30100



Lancets

- Tri bevel tip for a more comfortable sampling
- Universal design fits most lancing devices
- Not made with natural rubber latex

30G

Universal Design
Use Once and Destroy
100 Sterile Single Use Lancets



Lancets

Single Use Only
Sterile Tip

30G

100 Sterile Single Use Lancets



Shanghai Carelife International Trading Co., Ltd.
1707 Yinqiao Bldg., 58 Jinxin Rd.
201206 Shanghai, CHINA

EC REP


Shanghai International Holding Corp. GmbH (Europe)
Eiffelstraße 80, 20537
Hamburg, GERMANY

Made in China

19-11-20

INSTRUCTIONS FOR USE:

5



1. Wash hands with soap and warm water. Dry thoroughly.
2. Select fingertip site, slightly off-center.
3. Remove protective lancet cover; above (steps 1 & 2). If seal is already broken discard lancet.
4. Insert lancet into lancing device, use to puncture skin.
5. Apply drop of blood to test strip, wipe excess from finger.
6. Recap lancet, discard in appropriate container.

CE 0123



STERILE R



Lancets

LOT : 200325T



: 2025-03-24

WARNING:

Needle is sterile if cap is unopened and undamaged.
Do not use lancet if protective cap have been previously removed.
Do not reuse lancets.
Do not store lancet in lancing device.

100 Sterile Single Use Lancets

Code No: TL30100



Lancets

- Tri bevel tip for a more comfortable sampling
- Universal design fits most lancing devices
- Not made with natural rubber latex

30G

Universal Design
Use Once and Destroy
100 Sterile Single Use Lancets



Lancets

Single Use Only
Sterile Tip

30G

100 Sterile Single Use Lancets



Shanghai Carelife International Trading Co., Ltd.
1707 Yinqiao Bldg., 58 Jinxin Rd.
201206 Shanghai, CHINA

EC REP

Shanghai International Holding Corp. GmbH (Europe)
Eiffelstraße 80, 20537
Hamburg, GERMANY

Made in China

19-11-20

INSTRUCTIONS FOR USE:

5

1.
Twist
Cap



2.
Pull
Cap



1. Wash hands with soap and warm water. Dry thoroughly.
2. Select fingertip site, slightly off-center.
3. Remove protective lancet cover; above (steps 1 & 2). If seal is already broken discard lancet.
4. Insert lancet into lancing device, like to puncture skin.
5. Apply drop of blood to test strip, wipe excess from finger.
6. Recap lancet, discard in appropriate container.

CE 0123



STERILE R



Lancets

LOT : 200325T



: 2025-03-24

WARNING:

Needle is sterile if cap is unopened and undamaged.
Do not use lancet if protective cap have been previously removed.
Do not reuse lancets.
Do not store lancet in lancing device.

100 Sterile Single Use Lancets

Code No: TL30100



Lancets

- Tri bevel tip for a more comfortable sampling
- Universal design fits most lancing devices
- Not made with natural rubber latex

30G

Universal Design
Use Once and Destroy
100 Sterile Single Use Lancets



Lancets

Single Use Only
Sterile Tip

30G

100 Sterile Single Use Lancets



Shanghai Carelife International Trading Co., Ltd.
1707 Yinqiao Bldg., 58 Jinxin Rd.
201206 Shanghai, CHINA

EC REP

Shanghai International Holding Corp. GmbH (Europe)
Eiffelstraße 80, 20537
Hamburg, GERMANY

Made in China

NEW

SD BLOOD GLUCOSE MONITORING SYSTEM

Codefree™

Blood Glucose Test Strip

GOLD ELECTRODE



SD BIOSENSOR

SD Biosensor is not related to Alere Inc. or to Standard Diagnostics, Inc.

LOT

/ LOT NO.:

S0320118

MFG

/ MFG DATE:

2020. 07. 23

EXP

/ EXP DATE:

2022. 07. 22

- EN
- Replace cap immediately.
 - Always store strips in container.
 - Suitable for self-testing.

- ES
- Tape de inmediato después de utilizar.
 - Guarde siempre las tiras en el envase.
 - Apto para el autocontrol.

- CZ
- Po otevření ihned uzavřete.
 - Uchovávejte v originálním obalu.
 - Vhodný pro sebetestování.

REF 01GS11

Cat. No. : 01GS11



- PT
- Substitua imediatamente a cápsula.
 - Guarde sempre as faixas no contentor.
 - Adequado para o autocontrolo.

- FR
- Refermer immédiatement le bouchon.
 - Toujours laisser les bandelettes dans leur boîte.
 - Utilisable en autocontrôle.

- NL
- Sluit de deksel van het buisje direct na gebruik.
 - Bewaar teststrips altijd in het buisje.
 - Geschikt voor zelftesten.

- RU
- незамедлительно закройте крышку после использования.
 - всегда храните полоски в контейнере.
 - подходит для самотестирования.

- DE
- Deckel sofort wieder schliessen.
 - Streifen immer in Dose aufbewahren.
 - Geeignet zur Eigenanwendung.

- IT
- richiudere immediatamente il coperchio.
 - Conservare sempre le strisce nel contenitore.
 - Adatto per l'auto test.

- RO
- Inchideți recipientul imediat după utilizare.
 - Bandelele de testare se pastrează în recipientul original.
 - Se folosește pentru autotestare.

- TR
- Kutunun kapağını hemen kapatınız.
 - Stripleri her zaman kutusunda muhafaza ediniz.
 - Kendi kendine testi için uygundur.
 - Kullanım amacı: Yalnız vücut dışı tıbbi tanı.

CE 0123

IVD

i

X

2°C (36°F)

32°C (90°F)

6M

Σ 25 X 2 TEST



Manufactured by
SD Biosensor, Inc.

Head office
C-4th&5th, 16, Deogyong-daero 1556beon-gil,
Yeongtong-gu, Suwon-si, Gyeonggi-do, 16690,
REPUBLIC OF KOREA
Manufacturing site
74, Osongsaengmyeong 4-ro, Osong-eup,
Heungdeok-gu, Cheongju-si, Chungcheongbuk-do,
28161, REPUBLIC OF KOREA
www.sdbiosensor.com

EC REP

Authorized Representative
MT Promed Consulting GmbH
Altenhofstrasse 80 D-66386 St. Ingbert Germany
Phone: +49 6894 581020, Fax: +49 6894 581021

MB03CF1MLR5
Issue date: 2018.05

19 NOV 2020

11

NEW

SD BLOOD GLUCOSE MONITORING SYSTEM

Codefree™

Blood Glucose Test Strip

GOLD ELECTRODE



SD BIOSENSOR

SD Biosensor is not related to Alere Inc. or to Standard Diagnostics, Inc.

LOT

/ LOT NO.:

S0320118

MFG

/ MFG DATE:

2020. 07. 23

EXP

/ EXP DATE:

2022. 07. 22

- EN
- Replace cap immediately.
 - Always store strips in container.
 - Suitable for self-testing.

- ES
- Tape de inmediato después de utilizar.
 - Guarde siempre las tiras en el envase.
 - Apto para el autocontrol.

- CZ
- Po otevření ihned uzavřete.
 - Uchovávejte v originálním obalu.
 - Vhodný pro sebetestování.

REF 01GS11

Cat. No. : 01GS11



- PT
- Substitua imediatamente a cápsula.
 - Guarde sempre as faixas no contentor.
 - Adequado para o autocontrolo.

- FR
- Refermer immédiatement le bouchon.
 - Toujours laisser les bandelettes dans leur boîte.
 - Utilisable en autocontrôle.

- NL
- Sluit de deksel van het buisje direct na gebruik.
 - Bewaar teststrips altijd in het buisje.
 - Geschikt voor zelftesten.

- RU
- незамедлительно закройте крышку после использования.
 - всегда храните полоски в контейнере.
 - подходит для самотестирования.

- DE
- Deckel sofort wieder schliessen.
 - Streifen immer in Dose aufbewahren.
 - Geeignet zur Eigenanwendung.

- IT
- richiudere immediatamente il coperchio.
 - Conservare sempre le strisce nel contenitore.
 - Adatto per l'auto test.

- RO
- Inchideți recipientul imediat după utilizare.
 - Bandelele de testare se pastrează în recipientul original.
 - Se folosește pentru autotestare.

- TR
- Kutunun kapağını hemen kapatınız.
 - Stripleri her zaman kutusunda muhafaza ediniz.
 - Kendi Kendine testi için uygundur.
 - Kullanım amacı: Yalnız vücut dışı tıbbi tanı.

CE 0123

IVD

i

X

2°C (36°F)

32°C (90°F)

6M

Σ 25 X 2 TEST



Manufactured by
SD Biosensor, Inc.

Head office
C-4th&5th, 16, Deogyong-daero 1556beon-gil,
Yeongtong-gu, Suwon-si, Gyeonggi-do, 16690,
REPUBLIC OF KOREA
Manufacturing site
74, Osongsaengmyeong 4-ro, Osong-eup,
Heungdeok-gu, Cheongju-si, Chungcheongbuk-do,
28161, REPUBLIC OF KOREA
www.sdbiosensor.com

EC REP

Authorized Representative
MT Promed Consulting GmbH
Altenhofstrasse 80 D-66386 St. Ingbert Germany
Phone: +49 6894 581020, Fax: +49 6894 581021

MB03CF1MLR5
Issue date: 2018.05

19 NOV 20

11

NEW

SD BLOOD GLUCOSE MONITORING SYSTEM

Codefree™

Blood Glucose Test Strip

GOLD ELECTRODE



SD BIOSENSOR

SD Biosensor is not related to Alere Inc. or to Standard Diagnostics, Inc.

LOT

/ LOT NO.:

S0320118

MFG

/ MFG DATE:

2020. 07. 23

EXP

/ EXP DATE:

2022. 07. 22

- EN
- Replace cap immediately.
 - Always store strips in container.
 - Suitable for self-testing.

- ES
- Tape de inmediato después de utilizar.
 - Guarde siempre las tiras en el envase.
 - Apto para el autocontrol.

- CZ
- Po otevření ihned uzavřete.
 - Uchovávejte v originálním obalu.
 - Vhodný pro sebetestování.

REF 01GS11

Cat. No. : 01GS11



- PT
- Substitua imediatamente a cápsula.
 - Guarde sempre as faixas no contentor.
 - Adequado para o autocontrolo.

- FR
- Refermer immédiatement le bouchon.
 - Toujours laisser les bandelettes dans leur boîte.
 - Utilisable en autocontrôle.

- NL
- Sluit de deksel van het buisje direct na gebruik.
 - Bewaar teststrips altijd in het buisje.
 - Geschikt voor zelftesten.

- RU
- незамедлительно закройте крышку после использования.
 - всегда храните полоски в контейнере.
 - подходит для самотестирования.

- DE
- Deckel sofort wieder schliessen.
 - Streifen immer in Dose aufbewahren.
 - Geeignet zur Eigenanwendung.

- IT
- richiudere immediatamente il coperchio.
 - Conservare sempre le strisce nel contenitore.
 - Adatto per l'auto test.

- RO
- Inchideți recipientul imediat după utilizare.
 - Bandelele de testare se pastrează în recipientul original.
 - Se folosește pentru autotestare.

- TR
- Kutunun kapağını hemen kapatınız.
 - Stripleri her zaman kutusunda muhafaza ediniz.
 - Kendi kendine testi için uygundur.
 - Kullanım amacı: Yalnız vücut dışı tıbbi tanı.

CE 0123

IVD

i

X

2°C (36°F)

32°C (90°F)

6M

Σ 25 X 2 TEST



Manufactured by
SD Biosensor, Inc.

Head office
C-4th&5th, 16, Deogyong-daero 1556beon-gil,
Yeongtong-gu, Suwon-si, Gyeonggi-do, 16690,
REPUBLIC OF KOREA
Manufacturing site
74, Osongsaengmyeong 4-ro, Osong-eup,
Heungdeok-gu, Cheongju-si, Chungcheongbuk-do,
28161, REPUBLIC OF KOREA
www.sdbiosensor.com

EC REP

Authorized Representative
MT Promed Consulting GmbH
Altenhofstrasse 80 D-66386 St. Ingbert Germany
Phone: +49 6894 581020, Fax: +49 6894 581021

MB03CF1MLR5
Issue date: 2018.05

19 NOV 2020

11

NEW

SD BLOOD GLUCOSE MONITORING SYSTEM

Codefree™

Blood Glucose Test Strip

GOLD ELECTRODE



SD BIOSENSOR

SD Biosensor is not related to Alere Inc. or to Standard Diagnostics, Inc.

LOT

/ LOT NO.:

S0320118

MFG

/ MFG DATE:

2020. 07. 23

EXP

/ EXP DATE:

2022. 07. 22

- EN
- Replace cap immediately.
 - Always store strips in container.
 - Suitable for self-testing.

- ES
- Tape de inmediato después de utilizar.
 - Guarde siempre las tiras en el envase.
 - Apto para el autocontrol.

- CZ
- Po otevření ihned uzavřete.
 - Uchovávejte v originálním obalu.
 - Vhodný pro sebetestování.

REF 01GS11

Cat. No. : 01GS11



- PT
- Substitua imediatamente a cápsula.
 - Guarde sempre as faixas no contentor.
 - Adequado para o autocontrolo.

- FR
- Refermer immédiatement le bouchon.
 - Toujours laisser les bandelettes dans leur boîte.
 - Utilisable en autocontrôle.

- NL
- Sluit de deksel van het buisje direct na gebruik.
 - Bewaar teststrips altijd in het buisje.
 - Geschikt voor zelftesten.

- RU
- незамедлительно закройте крышку после использования.
 - всегда храните полоски в контейнере.
 - подходит для самотестирования.

- DE
- Deckel sofort wieder schliessen.
 - Streifen immer in Dose aufbewahren.
 - Geeignet zur Eigenanwendung.

- IT
- richiudere immediatamente il coperchio.
 - Conservare sempre le strisce nel contenitore.
 - Adatto per l'auto test.

- RO
- Inchideți recipientul imediat după utilizare.
 - Bandelele de testare se pastrează în recipientul original.
 - Se folosește pentru autotestare.

- TR
- Kutunun kapağını hemen kapatınız.
 - Stripleri her zaman kutusunda muhafaza ediniz.
 - Kendi kendine testi için uygundur.
 - Kullanım amacı: Yalnız vücut dışı tıbbi tanı.

CE 0123

IVD

i

X

2°C (36°F)

32°C (90°F)

6M

Σ 25 X 2 TEST



Manufactured by
SD Biosensor, Inc.

Head office
C-4th&5th, 16, Deogyong-daero 1556beon-gil,
Yeongtong-gu, Suwon-si, Gyeonggi-do, 16690,
REPUBLIC OF KOREA
Manufacturing site
74, Osongsaengmyeong 4-ro, Osong-eup,
Heungdeok-gu, Cheongju-si, Chungcheongbuk-do,
28161, REPUBLIC OF KOREA
www.sdbiosensor.com

EC REP

Authorized Representative
MT Promed Consulting GmbH
Altenhofstrasse 80 D-66386 St. Ingbert Germany
Phone: +49 6894 581020, Fax: +49 6894 581021

MB03CF1MLR5
Issue date: 2018.05

19 NOV 2020

11

NEW

SD BLOOD GLUCOSE MONITORING SYSTEM

Codefree™

Blood Glucose Test Strip

GOLD ELECTRODE



SD BIOSENSOR

SD Biosensor is not related to Alere Inc. or to Standard Diagnostics, Inc.

LOT

/ LOT NO.:

S0320118

MFG

/ MFG DATE:

2020. 07. 23

EXP

/ EXP DATE:

2022. 07. 22

- EN**
- Replace cap immediately.
 - Always store strips in container.
 - Suitable for self-testing.

- ES**
- Tape de inmediato después de utilizar.
 - Guarde siempre las tiras en el envase.
 - Apto para el autocontrol.

- CZ**
- Po otevření ihned uzavřete.
 - Uchovávejte v originálním obalu.
 - Vhodný pro sebetestování.

REF 01GS11

Cat. No. : 01GS11



- PT**
- Substitua imediatamente a cápsula.
 - Guarde sempre as faixas no contentor.
 - Adequado para o autocontrolo.

- FR**
- Refermer immédiatement le bouchon.
 - Toujours laisser les bandelettes dans leur boîte.
 - Utilisable en autocontrôle.

- NL**
- Sluit de deksel van het buisje direct na gebruik.
 - Bewaar teststrips altijd in het buisje.
 - Geschikt voor zelftesten.

- RU**
- незамедлительно закройте крышку после использования.
 - всегда храните полоски в контейнере.
 - подходит для самотестирования.

- DE**
- Deckel sofort wieder schliessen.
 - Streifen immer in Dose aufbewahren.
 - Geeignet zur Eigenanwendung.

- IT**
- richiudere immediatamente il coperchio.
 - Conservare sempre le strisce nel contenitore.
 - Adatto per l'auto test.

- RO**
- Inchideți recipientul imediat după utilizare.
 - Bandelele de testare se pastrează în recipientul original.
 - Se folosește pentru autotestare.

- TR**
- Kutunun kapağını hemen kapatınız.
 - Stripleri her zaman kutusunda muhafaza ediniz.
 - Kendi Kendine testi için uygundur.
 - Kullanım amacı: Yalnız vücut dışı tıbbi tanı.

CE 0123

IVD

i

X

2°C (36°F)

32°C (90°F)

6M

Σ 25 X 2 TEST

Manufactured by
SD Biosensor, Inc.

Head office
C-4th&5th, 16, Deogyong-daero 1556beon-gil,
Yeongtong-gu, Suwon-si, Gyeonggi-do, 16690,
REPUBLIC OF KOREA

Manufacturing site
74, Osongsaengmyeong 4-ro, Osong-eup,
Heungdeok-gu, Cheongju-si, Chungcheongbuk-do,
28161, REPUBLIC OF KOREA
www.sdbiosensor.com

EC REP

Authorized Representative
MT Promed Consulting GmbH
Altenhofstrasse 80 D-66386 St. Ingbert Germany
Phone: +49 6894 581020, Fax: +49 6894 581021

MB03CF1MLR5
Issue date: 2018.05

19 NOV 2020

11

NEW

SD BLOOD GLUCOSE MONITORING SYSTEM

Codefree™

Blood Glucose Test Strip

GOLD ELECTRODE



SD BIOSENSOR

SD Biosensor is not related to Alere Inc. or to Standard Diagnostics, Inc.

LOT

/ LOT NO.:

S0320118

MFG

/ MFG DATE:

2020. 07. 23

EXP

/ EXP DATE:

2022. 07. 22

- EN**
- Replace cap immediately.
 - Always store strips in container.
 - Suitable for self-testing.

- ES**
- Tape de inmediato después de utilizar.
 - Guarde siempre las tiras en el envase.
 - Apto para el autocontrol.

- CZ**
- Po otevření ihned uzavřete.
 - Uchovávejte v originálním obalu.
 - Vhodný pro sebetestování.

REF 01GS11

Cat. No. : 01GS11



- PT**
- Substitua imediatamente a cápsula.
 - Guarde sempre as faixas no contentor.
 - Adequado para o autocontrolo.

- FR**
- Refermer immédiatement le bouchon.
 - Toujours laisser les bandelettes dans leur boîte.
 - Utilisable en autocontrôle.

- NL**
- Sluit de deksel van het buisje direct na gebruik.
 - Bewaar teststrips altijd in het buisje.
 - Geschikt voor zelftesten.

- RU**
- незамедлительно закройте крышку после использования.
 - всегда храните полоски в контейнере.
 - подходит для самотестирования.

- DE**
- Deckel sofort wieder schliessen.
 - Streifen immer in Dose aufbewahren.
 - Geeignet zur Eigenanwendung.

- IT**
- richiudere immediatamente il coperchio.
 - Conservare sempre le strisce nel contenitore.
 - Adatto per l'auto test.

- RO**
- Inchideți recipientul imediat după utilizare.
 - Bandelele de testare se pastrează în recipientul original.
 - Se folosește pentru autotestare.

- TR**
- Kutunun kapağını hemen kapatınız.
 - Stripleri her zaman kutusunda muhafaza ediniz.
 - Kendi Kendine testi için uygundur.
 - Kullanım amacı: Yalnız vücut dışı tıbbi tanı.

CE 0123

IVD

i

X

2°C (36°F)

32°C (90°F)

6M

Σ 25 X 2 TEST

Manufactured by
SD Biosensor, Inc.Head office
C-4th&5th, 16, Deogyong-daero 1556beon-gil,
Yeongtong-gu, Suwon-si, Gyeonggi-do, 16690,
REPUBLIC OF KOREAManufacturing site
74, Osongsaengmyeong 4-ro, Osong-eup,
Heungdeok-gu, Cheongju-si, Chungcheongbuk-do,
28161, REPUBLIC OF KOREA
www.sdbiosensor.com

EC REP

Authorized Representative
MT Promed Consulting GmbH
Altenhofstrasse 80 D-66386 St. Ingbert Germany
Phone: +49 6894 581020, Fax: +49 6894 581021MB03CF1MLR5
Issue date: 2018.05

NEW

SD BLOOD GLUCOSE MONITORING SYSTEM

Codefree™

Blood Glucose Test Strip

GOLD ELECTRODE



SD BIOSENSOR

SD Biosensor is not related to Alere Inc. or to Standard Diagnostics, Inc.

LOT

/ LOT NO.:

S0320118

MFG

/ MFG DATE:

2020. 07. 23

EXP

/ EXP DATE:

2022. 07. 22

- EN**
- Replace cap immediately.
 - Always store strips in container.
 - Suitable for self-testing.

- ES**
- Tape de inmediato después de utilizar.
 - Guarde siempre las tiras en el envase.
 - Apto para el autocontrol.

- CZ**
- Po otevření ihned uzavřete.
 - Uchovávejte v originálním obalu.
 - Vhodný pro sebetestování.

REF 01GS11

Cat. No. : 01GS11



- PT**
- Substitua imediatamente a cápsula.
 - Guarde sempre as faixas no contentor.
 - Adequado para o autocontrolo.

- FR**
- Refermer immédiatement le bouchon.
 - Toujours laisser les bandelettes dans leur boîte.
 - Utilisable en autocontrôle.

- NL**
- Sluit de deksel van het buisje direct na gebruik.
 - Bewaar teststrips altijd in het buisje.
 - Geschikt voor zelftesten.

- RU**
- незамедлительно закройте крышку после использования.
 - всегда храните полоски в контейнере.
 - подходит для самотестирования.

- DE**
- Deckel sofort wieder schliessen.
 - Streifen immer in Dose aufbewahren.
 - Geeignet zur Eigenanwendung.

- IT**
- richiudere immediatamente il coperchio.
 - Conservare sempre le strisce nel contenitore.
 - Adatto per l'auto test.

- RO**
- Inchideți recipientul imediat după utilizare.
 - Bandelele de testare se pastrează în recipientul original.
 - Se folosește pentru autotestare.

- TR**
- Kutunun kapağını hemen kapatınız.
 - Stripleri her zaman kutusunda muhafaza ediniz.
 - Kendi Kendine testi için uygundur.
 - Kullanım amacı: Yalnız vücut dışı tıbbi tanı.

CE 0123

IVD

i

X

2°C (36°F)

32°C (90°F)

6M

Σ 25 X 2 TEST

Manufactured by
SD Biosensor, Inc.

Head office
C-4th&5th, 16, Deogyong-daero 1556beon-gil,
Yeongtong-gu, Suwon-si, Gyeonggi-do, 16690,
REPUBLIC OF KOREA

Manufacturing site
74, Osongsaengmyeong 4-ro, Osong-eup,
Heungdeok-gu, Cheongju-si, Chungcheongbuk-do,
28161, REPUBLIC OF KOREA
www.sdbiosensor.com

EC REP

Authorized Representative
MT Promed Consulting GmbH
Altenhofstrasse 80 D-66386 St. Ingbert Germany
Phone: +49 6894 581020, Fax: +49 6894 581021

MB03CF1MLR5
Issue date: 2018.05

NEW

SD BLOOD GLUCOSE MONITORING SYSTEM

Codefree™

Blood Glucose Test Strip

GOLD ELECTRODE



SD BIOSENSOR

SD Biosensor is not related to Alere Inc. or to Standard Diagnostics, Inc.

LOT

/ LOT NO.:

S0320118

MFG

/ MFG DATE:

2020. 07. 23

EXP

/ EXP DATE:

2022. 07. 22

- EN**
- Replace cap immediately.
 - Always store strips in container.
 - Suitable for self-testing.

- ES**
- Tape de inmediato después de utilizar.
 - Guarde siempre las tiras en el envase.
 - Apto para el autocontrol.

- CZ**
- Po otevření ihned uzavřete.
 - Uchovávejte v originálním obalu.
 - Vhodný pro sebetestování.

REF 01GS11

Cat. No. : 01GS11



- PT**
- Substitua imediatamente a cápsula.
 - Guarde sempre as faixas no contentor.
 - Adequado para o autocontrolo.

- FR**
- Refermer immédiatement le bouchon.
 - Toujours laisser les bandelettes dans leur boîte.
 - Utilisable en autocontrôle.

- NL**
- Sluit de deksel van het buisje direct na gebruik.
 - Bewaar teststrips altijd in het buisje.
 - Geschikt voor zelftesten.

- RU**
- незамедлительно закройте крышку после использования.
 - всегда храните полоски в контейнере.
 - подходит для самотестирования.

- DE**
- Deckel sofort wieder schliessen.
 - Streifen immer in Dose aufbewahren.
 - Geeignet zur Eigenanwendung.

- IT**
- richiudere immediatamente il coperchio.
 - Conservare sempre le strisce nel contenitore.
 - Adatto per l'auto test.

- RO**
- Inchideți recipientul imediat după utilizare.
 - Bandelele de testare se pastrează în recipientul original.
 - Se folosește pentru autotestare.

- TR**
- Kutunun kapağını hemen kapatınız.
 - Stripleri her zaman kutusunda muhafaza ediniz.
 - Kendi Kendine testi için uygundur.
 - Kullanım amacı: Yalnız vücut dışı tıbbi tanı.

CE 0123

IVD

i

X

2°C (36°F)

32°C (90°F)

6M

Σ 25 X 2 TEST

Manufactured by
SD Biosensor, Inc.

Head office
C-4th&5th, 16, Deogyong-daero 1556beon-gil,
Yeongtong-gu, Suwon-si, Gyeonggi-do, 16690,
REPUBLIC OF KOREA

Manufacturing site
74, Osongsaengmyeong 4-ro, Osong-eup,
Heungdeok-gu, Cheongju-si, Chungcheongbuk-do,
28161, REPUBLIC OF KOREA
www.sdbiosensor.com

EC REP

Authorized Representative
MT Promed Consulting GmbH
Altenhofstrasse 80 D-66386 St. Ingbert Germany
Phone: +49 6894 581020, Fax: +49 6894 581021

MB03CF1MLR5
Issue date: 2018.05

19 NOV 20

11

NEW

SD BLOOD GLUCOSE MONITORING SYSTEM

Codefree™

Blood Glucose Test Strip

GOLD ELECTRODE



SD BIOSENSOR

SD Biosensor is not related to Alere Inc. or to Standard Diagnostics, Inc.

LOT

/ LOT NO.:

S0320118

MFG

/ MFG DATE:

2020. 07. 23

EXP

/ EXP DATE:

2022. 07. 22

- EN**
- Replace cap immediately.
 - Always store strips in container.
 - Suitable for self-testing.

- ES**
- Tape de inmediato después de utilizar.
 - Guarde siempre las tiras en el envase.
 - Apto para el autocontrol.

- CZ**
- Po otevření ihned uzavřete.
 - Uchovávejte v originálním obalu.
 - Vhodný pro sebetestování.

REF 01GS11

Cat. No. : 01GS11



- PT**
- Substitua imediatamente a cápsula.
 - Guarde sempre as faixas no contentor.
 - Adequado para o autocontrolo.

- FR**
- Refermer immédiatement le bouchon.
 - Toujours laisser les bandelettes dans leur boîte.
 - Utilisable en autocontrôle.

- NL**
- Sluit de deksel van het buisje direct na gebruik.
 - Bewaar teststrips altijd in het buisje.
 - Geschikt voor zelftesten.

- RU**
- незамедлительно закройте крышку после использования.
 - всегда храните полоски в контейнере.
 - подходит для самотестирования.

- DE**
- Deckel sofort wieder schliessen.
 - Streifen immer in Dose aufbewahren.
 - Geeignet zur Eigenanwendung.

- IT**
- richiudere immediatamente il coperchio.
 - Conservare sempre le strisce nel contenitore.
 - Adatto per l'auto test.

- RO**
- Inchideți recipientul imediat după utilizare.
 - Bandelele de testare se pastrează în recipientul original.
 - Se folosește pentru autotestare.

- TR**
- Kutunun kapağını hemen kapatınız.
 - Stripleri her zaman kutusunda muhafaza ediniz.
 - Kendi Kendine testi için uygundur.
 - Kullanım amacı: Yalnız vücut dışı tıbbi tanı.

CE 0123

IVD

i

X

2°C (36°F)

32°C (90°F)

6M

Σ 25 X 2 TEST



Manufactured by
SD Biosensor, Inc.

Head office
C-4th&5th, 16, Deogyong-daero 1556beon-gil,
Yeongtong-gu, Suwon-si, Gyeonggi-do, 16690,
REPUBLIC OF KOREA
Manufacturing site
74, Osongsaengmyeong 4-ro, Osong-eup,
Heungdeok-gu, Cheongju-si, Chungcheongbuk-do,
28161, REPUBLIC OF KOREA
www.sdbiosensor.com

EC REP

Authorized Representative
MT Promed Consulting GmbH
Altenhofstrasse 80 D-66386 St. Ingbert Germany
Phone: +49 6894 581020, Fax: +49 6894 581021

MB03CF1MLR5
Issue date: 2018.05

19 NOV 2020

11

NEW

SD BLOOD GLUCOSE MONITORING SYSTEM

Codefree™

Blood Glucose Test Strip

GOLD ELECTRODE



SD BIOSENSOR

SD Biosensor is not related to Alere Inc. or to Standard Diagnostics, Inc.

LOT

/ LOT NO.:

S0320118

MFG

/ MFG DATE:

2020. 07. 23

EXP

/ EXP DATE:

2022. 07. 22

- EN**
- Replace cap immediately.
 - Always store strips in container.
 - Suitable for self-testing.

- ES**
- Tape de inmediato después de utilizar.
 - Guarde siempre las tiras en el envase.
 - Apto para el autocontrol.

- CZ**
- Po otevření ihned uzavřete.
 - Uchovávejte v originálním obalu.
 - Vhodný pro sebetestování.

REF 01GS11

Cat. No. : 01GS11



- PT**
- Substitua imediatamente a cápsula.
 - Guarde sempre as faixas no contentor.
 - Adequado para o autocontrolo.

- FR**
- Refermer immédiatement le bouchon.
 - Toujours laisser les bandelettes dans leur boîte.
 - Utilisable en autocontrôle.

- NL**
- Sluit de deksel van het buisje direct na gebruik.
 - Bewaar teststrips altijd in het buisje.
 - Geschikt voor zelftesten.

- RU**
- незамедлительно закройте крышку после использования.
 - всегда храните полоски в контейнере.
 - подходит для самотестирования.

- DE**
- Deckel sofort wieder schliessen.
 - Streifen immer in Dose aufbewahren.
 - Geeignet zur Eigenanwendung.

- IT**
- richiudere immediatamente il coperchio.
 - Conservare sempre le strisce nel contenitore.
 - Adatto per l'auto test.

- RO**
- Inchideți recipientul imediat după utilizare.
 - Bandelele de testare se pastrează în recipientul original.
 - Se folosește pentru autotestare.

- TR**
- Kutunun kapağını hemen kapatınız.
 - Stripleri her zaman kutusunda muhafaza ediniz.
 - Kendi Kendine testi için uygundur.
 - Kullanım amacı: Yalnız vücut dışı tıbbi tanı.

CE 0123

IVD

i

X

2°C (36°F)

32°C (90°F)

6M

Σ 25 X 2 TEST



Manufactured by
SD Biosensor, Inc.

Head office
C-4th&5th, 16, Deogyong-daero 1556beon-gil,
Yeongtong-gu, Suwon-si, Gyeonggi-do, 16690,
REPUBLIC OF KOREA
Manufacturing site
74, Osongsaengmyeong 4-ro, Osong-eup,
Heungdeok-gu, Cheongju-si, Chungcheongbuk-do,
28161, REPUBLIC OF KOREA
www.sdbiosensor.com

EC REP

Authorized Representative
MT Promed Consulting GmbH
Altenhofstrasse 80 D-66386 St. Ingbert Germany
Phone: +49 6894 581020, Fax: +49 6894 581021

MB03CF1MLR5
Issue date: 2018.05

19 NOV 2020

11

NEW

SD BLOOD GLUCOSE MONITORING SYSTEM

Codefree™

Blood Glucose Test Strip

GOLD ELECTRODE



SD BIOSENSOR

SD Biosensor is not related to Alere Inc. or to Standard Diagnostics, Inc.

LOT

/ LOT NO.:

S0320118

MFG

/ MFG DATE:

2020. 07. 23

EXP

/ EXP DATE:

2022. 07. 22

- EN**
- Replace cap immediately.
 - Always store strips in container.
 - Suitable for self-testing.

- ES**
- Tape de inmediato después de utilizar.
 - Guarde siempre las tiras en el envase.
 - Apto para el autocontrol.

- CZ**
- Po otevření ihned uzavřete.
 - Uchovávejte v originálním obalu.
 - Vhodný pro sebetestování.

REF 01GS11

Cat. No. : 01GS11



- PT**
- Substitua imediatamente a cápsula.
 - Guarde sempre as faixas no contentor.
 - Adequado para o autocontrolo.

- FR**
- Refermer immédiatement le bouchon.
 - Toujours laisser les bandelettes dans leur boîte.
 - Utilisable en autocontrôle.

- NL**
- Sluit de deksel van het buisje direct na gebruik.
 - Bewaar teststrips altijd in het buisje.
 - Geschikt voor zelftesten.

- RU**
- незамедлительно закройте крышку после использования.
 - всегда храните полоски в контейнере.
 - подходит для самотестирования.

- DE**
- Deckel sofort wieder schliessen.
 - Streifen immer in Dose aufbewahren.
 - Geeignet zur Eigenanwendung.

- IT**
- richiudere immediatamente il coperchio.
 - Conservare sempre le strisce nel contenitore.
 - Adatto per l'auto test.

- RO**
- Inchideți recipientul imediat după utilizare.
 - Bandelele de testare se pastrează în recipientul original.
 - Se folosește pentru autotestare.

- TR**
- Kutunun kapağını hemen kapatınız.
 - Stripleri her zaman kutusunda muhafaza ediniz.
 - Kendi Kendine testi için uygundur.
 - Kullanım amacı: Yalnız vücut dışı tıbbi tanı.

CE 0123

IVD

i

X

2°C (36°F)

32°C (90°F)

6M

Σ 25 X 2 TEST

Manufactured by
SD Biosensor, Inc.

Head office
C-4th&5th, 16, Deogyong-daero 1556beon-gil,
Yeongtong-gu, Suwon-si, Gyeonggi-do, 16690,
REPUBLIC OF KOREA

Manufacturing site
74, Osongsaengmyeong 4-ro, Osong-eup,
Heungdeok-gu, Cheongju-si, Chungcheongbuk-do,
28161, REPUBLIC OF KOREA
www.sdbiosensor.com

EC REP

Authorized Representative
MT Promed Consulting GmbH
Altenhofstrasse 80 D-66386 St. Ingbert Germany
Phone: +49 6894 581020, Fax: +49 6894 581021

MB03CF1MLR5
Issue date: 2018.05

19 NOV 2020

11